See light in a whole new color.

Colored lenses for RAB LED floodlights.



With 11 color choices available that create a smooth, uniform effect, RAB's lenses are an affordable option for coloring your world.



- Simple to install or swap colors (4 screws for easy mounting)
- Durable, tempered glass withstands outdoor use*
- Aluminum frame construction with RAB's durable, polyester powder-coat finish
- Available for the following floodlights:



FXLED300 & 200

- Up to 132 lm/W; can save up to 70% in energy costs
- Distributions: 7H x 6V, 6H x 4V, 4H x 6V, 5H x 5V and 3H x 3V
- Slipfitter or trunnion mount



FXLED78 - 150W

- Up to 128 lm/W; can save up to 66% in energy costs
- Distribution: 6H x 6V
- Slipfitter or trunnion mount



EZLED78

- Ideal for building façades, flags, signage
- Distributions: 4H x 4V and 3H x 3V (EZLED)
- Slipfitter or trunnion mount



FFLED120

- Up to 136 lm/W; can save up to 72% in energy costs
- Distributions: 7H x 6V
- Slipfitter or trunnion mount



FFLED26 - 80W

- Up to 143 lm/W; can save up to 78% in energy costs
- Distributions: 7H x 6V, 5H x 5V, 4H x 4V
- Slipfitter, trunnion or swivel-arm mount




FFLED18

- Up to 100 lm/W; can save up to 76% in energy costs
- Distribution: 7H x 6V
- Button or swivel photocell available

Comes fully assembled.

Attaches to floodlight with four 8-32 stainless steel screws.



Specifications

Lens: Tempered, soda lime glass, 3mm thick (nominal 1/8")


Color: Fade-resistant color is molded into the glass

Frame and L Rails: Die-formed .040 aluminum with powder-coated finish

Light Loss Factors:

Blue	0.05	Green	0.07	Medium Amber	0.45	Ruby Red	0.04
Light Blue	0.55	Medium Green	0.08	Light Amber	0.74	Cherry Red	0.08
Pale Purple	0.50	Light Green	0.48	Yellow	0.75		

Ordering information (6-week lead time)



For more information on RAB's complete line of LED floodlights and floodlight accessories, visit rabweb.com

