


## WIRING DIAGRAM:

---



## CAUTION:

---

TURN OFF ELECTRICITY, remove fuse or switch off circuit breaker.

THERE IS A RISK OF FIRE AND ELECTRICAL SHOCK. INSTALL IN ACCORDANCE WITH NATIONAL AND LOCAL ELECTRICAL CODES USING A QUALIFIED ELECTRICIAN.

FOR OUTDOOR USE ONLY.

## FIXTURE INSTALLATION:

---

1. Make sure electricity is turned OFF.
2. Attach to a sturdy mount such as a RAB Mighty Post. FOR SUPPLY CONNECTIONS, USE WIRE RATED AT LEAST 90°C.
3. Connect wires as shown in diagram.
4. Install lamp.
5. Turn on power.


## LAMP INSTALLATION OR RELAMPING:

---

1. Use 100 Watt lamp Maximum.
2. Disconnect power and let lamp cool if it was in operation.
3. Unscrew locking screw at top of lamp. Remove top of fixture, unscrew globe and install lamp.
5. Replace globe and top, tighten screw, turn on power.

## WIRING DIAGRAM:

---



## CAUTION:

---

TURN OFF ELECTRICITY, REMOVE FUSE OR SWITCH OFF CIRCUIT BREAKER. THERE IS A RISK OF FIRE AND ELECTRICAL SHOCK. INSTALL IN ACCORDANCE WITH NATIONAL AND LOCAL ELECTRICAL CODES USING A QUALIFIED ELECTRICIAN. FOR OUTDOOR USE ONLY.

## FIXTURE INSTALLATION:

---

1. Make sure electricity is turned OFF.
2. Attach to a sturdy mount such as a RAB Mighty Post. FOR SUPPLY CONNECTIONS, USE WIRE RATED AT LEAST 90°C.
3. Connect wires as shown in diagram.
4. Install lamp.
5. Turn on power.

## LAMP INSTALLATION OR RELAMPING:

---

1. Use 100 Watt lamp maximum.
2. Disconnect power and let lamp cool if it was in operation.
3. Unscrew locking screw at top of lamp. Remove top of fixture, unscrew globe and install lamp.
5. Replace globe and top, tighten screw, turn on power.