



Emergency Remote Head Compatibility List



			INDOOR								OUTDOOR							
Product Image	Catalog Number	Remote capacity																
			EREMOTE-1	EREMOTE-1H	EREMOTE-1S	EREMOTE-1HS	EREMOTE	EREMOTE-H	EREMOTE-S	EREMOTE-HS	EREMOTE-1HB	EREMOTE-B	EREMOTEOUT-1	EREMOTEOUT	EREMOTEOUT-1H	EREMOTEOUT-H	EREMOTEOUT-1HB	EREMOTEOUT-HB
	ECOMBO34-R	1.0W	Y(Max.1)	N	N	N	N	N	N	N	N	N	Y(Max.1)	N	N	N	N	N
	ECOMBO34-H	0.5W	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
	ECOMBO34-GR	1.0W	Y(Max.1)	N	N	N	N	N	N	N	N	N	Y(Max.1)	N	N	N	N	N
	ECOMBO34-GH	0.5W	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
	ECOMBO34-RGR	1.0W	Y(Max.1)	N	N	N	N	N	N	N	N	N	Y(Max.1)	N	N	N	N	N
	ECOMBO34-RGH	0.5W	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
	ECOMBO-HRS	3.0W	N	N	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	N	N	N	N	N	N
	ECOMBO-RS	3.0W	N	N	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	N	N	N	N	N	N
	ECOMBO-HR	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	ECOMBO-R	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	EXIT-R	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	ECOMBO-GHRS	3.0W	N	N	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	N	N	N	N	N	N
	ECOMBO-GRS	3.0W	N	N	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	N	N	N	N	N	N
	ECOMBO-GHR	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	ECOMBO-GR	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)


Emergency Remote Head Compatibility List



Product Image	Catalog Number	Remote capacity	INDOOR								OUTDOOR							
																		
			EREMOTE-1	EREMOTE-1H	EREMOTE-1S	EREMOTE-1HS	EREMOTE	EREMOTE-H	EREMOTE-S	EREMOTE-HS	EREMOTE-1HB	EREMOTE-B	EREMOTEOUT-1	EREMOTEOUT	EREMOTEOUT-1H	EREMOTEOUT-H	EREMOTEOUT-1HB	EREMOTEOUT-HB
	EXIT-GR	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	ECOMBO-1RCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	ECOMBO-RCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	ECOMBO-1DARCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	ECOMBO-DARCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	ECOMBO-LRARCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	ECOMBO-1RARCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)



Emergency Remote Head Compatibility List



Product Image	Catalog Number	Remote capacity	INDOOR								OUTDOOR							
																		
			EREMOTE-1	EREMOTE-1H	EREMOTE-1S	EREMOTE-1HS	EREMOTE	EREMOTE-H	EREMOTE-S	EREMOTE-HS	EREMOTE-1HB	EREMOTE-B	EREMOTEOUT-1	EREMOTEOUT	EREMOTEOUT-1H	EREMOTEOUT-H	EREMOTEOUT-1HB	EREMOTEOUT-HB
	ECOMBO-1LARCH	10.0W	Y(Max.10)	Y(Max.6)	N	N	Y(Max.5)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.5)	Y(Max.10)	Y(Max.5)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	EM34-R	1.0W	Y(Max.1)	N	N	N	N	N	N	N	N	N	Y(Max.1)	N	N	N	N	N
	EM34-HR	0.5W	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
	EM-HR	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	EM-RS	3.0W	N	N	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	N	N	N	N	N	N
	EM-HRCEC	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	EM-RCEC	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	EM-R	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	EM-RCH	5W	Y(Max.5)	Y(Max.3)	N	N	Y(Max.2)	Y(Max.1)	N	N	Y(Max.3)	Y(Max.2)	Y(Max.5)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.3)	Y(Max.1)

Emergency Remote Head Compatibility List



Product Image	Catalog Number	Remote capacity	INDOOR								OUTDOOR							
																		
			EREMOTE-1	EREMOTE-1H	EREMOTE-1S	EREMOTE-1HS	EREMOTE	EREMOTE-H	EREMOTE-S	EREMOTE-HS	EREMOTE-1HB	EREMOTE-B	EREMOTEOUT-1	EREMOTEOUT	EREMOTEOUT-1H	EREMOTEOUT-H	EREMOTEOUT-1HB	EREMOTEOUT-HB
	ECOMBO-BHR	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	ECOMBO-NY	1.5W	Y(Max.1)	Y(Max.1)	N	N	N	N	N	N	Y(Max.1)	N	Y(Max.1)	N	Y(Max.1)	N	Y(Max.1)	N
	EM-2H2RNY	3.0W	Y(Max.3)	Y(Max.2)	N	N	Y(Max.1)	Y(Max.1)	N	N	Y(Max.2)	Y(Max.1)	Y(Max.3)	Y(Max.1)	Y(Max.2)	Y(Max.1)	Y(Max.2)	Y(Max.1)
	EM-2H6RNY	9.0W	Y(Max.9)	Y(Max.6)	N	N	Y(Max.4)	Y(Max.3)	N	N	Y(Max.6)	Y(Max.4)	Y(Max.9)	Y(Max.3)	Y(Max.6)	Y(Max.3)	Y(Max.6)	Y(Max.3)
	EM-3H5RNY	7.5W	Y(Max.7)	Y(Max.5)	N	N	Y(Max.3)	Y(Max.2)	N	N	Y(Max.5)	Y(Max.3)	Y(Max.7)	Y(Max.2)	Y(Max.5)	Y(Max.2)	Y(Max.5)	Y(Max.2)