



Lightcloud Blue | Lamps

All Lightcloud Blue lamps will instantly connect to the system's app via Bluetooth Mesh, getting you up and running in minutes.



Features



Tunable Color: Select from 16+million colors to customize your space to suit any mood.



Tunable White: Color temperature that is fully adjustable within the specified range



SmartShift: Circadian lighting adjusts light levels and CCT to match the natural pattern of the sun



Natural Spectrum Technology: Emits less sleep-disturbing blue light, promoting healthier sleep. Also renders colors much more accurately so you can see them as they truly are.*

Natural Spectrum A19 and BR30

This energy-efficient replacement for halogen and incandescent reflector lamps is designed with durable plastic to reduce breakage and a frosted lens for smooth, diffuse light. It is rated for use in closed and open fixtures, in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.

LCBA19-10-E26-9TW-SS-NS

Replaces: 60W Incandescent

Wattage: 10W

Voltage: 120V

Base: E26 Edison

CCT: 2700 - 6500K

Dimming: Down to 5%

CRI: 95+

Lifespan: 25,000 Hours



LCBBR30-10-E26-9TW-SS-NS

Replaces: 65W Halogen

Wattage: 10W

Voltage: 120V

Base: E26 Edison

CCT: 2700 - 6500K

Dimming: Down to 5%

CRI: 95+

Lifespan: 25,000 Hours



RGBW A19, BR30 and PAR38

With over 16 million colors to choose from, these lamps are ready to set your lighting to suit any mood. Create various Scenes or Schedules to fit your everyday needs.



LCBA19-9-E26-9RGB-SS

Replaces: 60W Incandescent

Wattage: 8W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%

CRI: 90+

Lifespan: 25,000 Hours



LCBBR30-7-E26-9RGB-SS

Replaces: 65W Incandescent

Wattage: 7W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%

CRI: 90+

Lifespan: 25,000 Hours



PAR38/RGB

Replaces: 100W Halogen

Wattage: 14W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%

CRI: 90+

Lifespan: 50,000 Hours



Decorative Filament

Filament-style LED lamps offer a unique traditional appearance for decorative and mood-sensitive needs. Models are available in A19, ST19, G25 and B11 shapes for the most-often-used applications. They are rated for use in closed and open fixtures, in dry, damp, or wet locations, and carry RAB's 3-year, no-compromise warranty.



LCBA19-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent

Wattage: 6W

Voltage: 120V


Base: E26 Edison

CCT: 2200 - 4500K

Dimming: Down to 5%

CRI: 90+

Lifespan: 15,000 Hours



LCBST19-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent

Wattage: 6W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 4500K

Dimming: Down to 5%

CRI: 90+

Lifespan: 15,000 Hours



LCBB11-5-E26-9TW-F-C-SS

Replaces: 60W Incandescent

Wattage: 5W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 4500K

Dimming: Down to 5%

CRI: 90+

Lifespan: 15,000 Hours



LCBG25-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent

Wattage: 6W

Voltage: 120V

Base: E26 Edison

CCT: 2200 - 4500K

Dimming: Down to 5%

CRI: 90+

Lifespan: 15,000 Hours



T8 Linear Tubes

These popular 4 ft linear tubes are a direct replacement for fluorescent lamps and are available in both Type A (Ballast Compatible) and Type B (Ballast Bypass) styles. Both models feature **tunable white light**, making it incredibly easy to adjust your color temperature.

The Type A installs directly to the existing ballast for quick "plug and play" use. The Type B's integral driver allows the lamp to be wired directly to line voltage and accepts single-ended or double-ended wiring, making it super flexible for various applications.

They are both built from durable plastic, are NSF Listed and carry RAB's industry-leading, 5-year, no-compromise warranty.



LCBT8-14-48P-8TW-DIR-SS

Type: Ballast Compatible (A)

Replaces: 25/28/32W
Fluorescent

Wattage: 14W

CRI: >80

CCT: 2700 - 6500K

Voltage: Ballast Dependent

Base: G13

Dimming: Down to 5%

Lifespan: 50,000 Hours



LCBT8-18-48P-8TW-SD-BYP-SS

Type: Ballast Bypass (B)
Single- or Double-Ended

Replaces: 32W Fluorescent

Wattage: 18W

CRI: >80

CCT: 2700 - 6500K

Voltage: 120-277V

Base: G13

Dimming: Down to 5%

Lifespan: 50,000 Hours





TITLE 24
Select models



TITLE 20
Select models



Select models



FCC COMPLIANT



NSF CERTIFIED
Select models

HID Replacements

These energy-efficient replacements for HID lamps let you customize both wattage and color temperature* using the Lightcloud Blue mobile app. An integrated sensor port supports Lightcloud Blue controllers and occupancy/daylight sensors (sold separately). Easily configure and control your lights with the mobile app.



Compatible with various smart sensors.
Learn more here.



HID-54S-EX39-8TW-BYP/LCBLR

Replaces: 150/175/200W MH

Wattage: 35/45/54W

Voltage: 120-277V

Base: EX39 Mogul

CCT: 3000/4000/5000K**

Dimming: Down to 5%

Lifespan: 50,000 Hours



HID-115S-V-EX39-8TW-BYP/LCBLR

Replaces: 200/250/400W MH

Wattage: 60/80/115W


Voltage: 120-277V

Base: EX39 Mogul

CCT: 3000/4000/5000K**

Dimming: Down to 5%

Lifespan: 50,000 Hours



HID-65-V-E26-850-BYP-GL/LCBLR

Replaces: 200W MH

Wattage: 65W

Voltage: 120-277V

Base: E26 Edison

CCT: 5000K

Dimming: Down to 5%

Lifespan: 25,000 Hours



*Does not apply to Garage Lighter. **Tunable white from 3000 to 5000K only when used with a Lightcloud Blue 5-pin, plug-in Controller.

Lightcloud Blue Accessories

Expand your system with **Switches, Remotes, Dimmers, Sensors, Controllers, and Emergency** accessories.



Learn more about
Lightcloud Blue Accessories

©2025 RAB Lighting, Inc.

RAB is continually improving our products. Specifications may change without notice.

The designs of RAB fixtures are protected under U.S. and international intellectual property laws.

RAB