

Lightcloud Blue | Lamps

All Lightcloud Blue-enabled lamps will instantly connect to the system's app via Bluetooth Mesh, getting you up and running in minutes.

Features



Tunable White: Color temperature that is fully adjustable within the specified range



SmartShift: Circadian lighting adjusts light levels and CCT to match the natural pattern of the sun



Natural Spectrum Technology: Emits less sleep-disturbing blue light, promoting healthier sleep. Also renders colors much more accurately so you can see them as they truly are.*



Tunable Color: Select from 16+million colors to customize your space to suit any mood.

*On select models only

A19 Natural Spectrum

The most commonly used lamp shape, this A19 is engineered with Lightcloud Blue capability. Designed with durable plastic construction and a frosted lens, this A19 produces smooth, diffuse light with highest color rendering accuracy. It can be used in closed or open fixtures, in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.



LCBA19-10-E26-9TW-SS-NS

Replaces: 60W Incandescent
Wattage: 10W
Voltage: 120V
Base: E26 Edison
CCT: 2700 - 6500K

Dimming: Down to 5%
CRI: 95+
Lifespan: 25,000 Hours



A19 RGBW

LCBA19-9-E26-9RGB-SS

Replaces: 60W Incandescent
Wattage: 8W
Voltage: 120V
Base: E26 Edison
CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%
CRI: 90+
Lifespan: 25,000 Hours



With over 16 million colors to choose from, these RGBW A19 lamps are ready to set your lighting to suit any mood. Tunable white also lets you adjust CCT, all from your mobile app. Designed with durable plastic construction and a frosted lens, this A19 produces smooth, diffuse light and high color rendering. It can be used in closed or open fixtures, in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.

BR30 Natural Spectrum

This energy-efficient replacement for halogen and incandescent reflector lamps is designed with durable plastic to reduce breakage and a frosted lens for smooth, diffuse light. It is rated for use in closed and open fixtures, in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.



LCBBR30-10-E26-9TW-SS-NS

Replaces: 65W Halogen
Wattage: 10W
Voltage: 120V
Base: E26 Edison
CCT: 2700 - 6500K

Dimming: Down to 5 %
CRI: 95+
Lifespan: 25,000 Hours



BR30 RGBW

LCBBR30-7-E26-9RGB-SS

Replaces: 65W Incandescent
Wattage: 7W
Voltage: 120V
Base: E26 Edison
CCT: 2200 - 6500K and 16+ million colors

Dimming: Down to 5%
CRI: 90+
Lifespan: 25,000 Hours



With over 16 million colors to choose from, these RGBW BR30s are ready to set your lighting to suit any mood. Tunable white also lets you adjust CCT, all from your mobile app. Designed with durable plastic construction and a frosted lens, it produces smooth, diffuse light and high color rendering. It can be used in closed or open fixtures, in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.

Decorative Filament


Filament-style LED lamps offer a unique traditional appearance for decorative and mood-sensitive needs. Models are available in A19, ST19, G25 and B11 shapes for the most-often-used applications. They are rated for use in closed and open fixtures, in dry, damp, or wet locations, and carry RAB's 3-year, no-compromise warranty.



LCBA19-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent
 Wattage: 6W
 Voltage: 120V
 Base: E26 Edison
 CCT: 2200 - 4500K

Dimming: Down to 5%
 CRI: 90+
 Lifespan: 15,000 Hours



LCBST19-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent
 Wattage: 6W
 Voltage: 120V
 Base: E26 Edison
 CCT: 2200 - 4500K

Dimming: Down to 5%
 CRI: 90+
 Lifespan: 15,000 Hours



LCBB11-5-E26-9TW-F-C-SS

Replaces: 60W Incandescent
 Wattage: 5W
 Voltage: 120V
 Base: E26 Edison
 CCT: 2200 - 4500K

Dimming: Down to 5%
 CRI: 90+
 Lifespan: 15,000 Hours



LCBG25-6-E26-9TW-F-C-SS

Replaces: 60W Incandescent
 Wattage: 6W
 Voltage: 120V
 Base: E26 Edison
 CCT: 2200 - 4500K

Dimming: Down to 5%
 CRI: 90+
 Lifespan: 15,000 Hours



T8 Linear Tubes

These popular 4 ft linear tubes are a direct replacement for fluorescent lamps and are available in both Type A (Ballast Compatible) and Type B (Ballast Bypass) styles. Both models feature **tunable white light**, making it incredibly easy to adjust your color temperature.

The Type A installs directly to the existing ballast for quick "plug and play" use. The Type B's integral driver allows the lamp to be wired directly to line voltage and accepts single-ended or double-ended wiring, making it super flexible for various applications.

They are both built from durable plastic, are NSF Listed and carry RAB's industry-leading, 5-year, no-compromise warranty.



LCBT8-14-48P-8TW-DIR-SS

Type: Ballast Compatible (A)
 Replaces: 25/28/32W Fluorescent
 Wattage: 14W
 CRI: >80
 CCT: 2700 - 6500K

Voltage: Ballast Dependent
 Base: G13
 Dimming: Down to 5%
 Lifespan: 50,000 Hours



LCBT8-18-48P-8TW-SD-BYP-SS

Type: Ballast Bypass (B)
 Single- or Double-Ended
 Replaces: 32W Fluorescent
 Wattage: 18W
 CRI: >80
 CCT: 2700 - 6500K

Voltage: 120-277V
 Base: G13
 Dimming: Down to 5%
 Lifespan: 50,000 Hours



T8-17-48P-8TW-SD-BYP/LCBS/MVS

Type: Ballast Bypass (B)
 Single- or Double-Ended
 Replaces: 32W Fluorescent
 Wattage: 17W
 CRI: >80
 CCT: 2700 - 6500K

Voltage: 120-277V
 Base: G13
 Sensor Type: Microwave (MVS)
 Dimming: Down to 5%
 Lifespan: 50,000 Hours



Field-Adjustable Post Top

This energy-efficient replacement for HID lamps lets you customize both wattage and CCT in the field. An integrated sensor port supports Lightcloud Blue Controllers* with either a PIR or MVS sensor and daylight sensing. It can be used in closed or open fixtures, in dry or damp locations, and carries RAB's unbeatable 5-year, no-compromise warranty.



HID-54S-EX39-8TW-BYP/LCBB

Replaces: 150/175/200W MH

Wattage: 35/45/54W

Voltage: 120-277V

Base: EX39 Mogul

CCT: 3000/4000/5000K**

Dimming: Down to 5%

Lifespan: 50,000 Hours



TITLE 24



TITLE 20

RGB A19 and
RGB BR30 only



ENERGY
STAR

A19s, BR30s, and
decoratives only



T8 Tubes, high bay,
and post top only



FCC
COMPLIANT



NSF
CERTIFIED

T8 Tubes only

Field-Adjustable High Bay

HID-115S-V-EX39-8TW-BYP/LCBB

Replaces: 200/250/400W MH

Wattage: 60/80/115W

Voltage: 120-277V

Base: EX39 Mogul

CCT: 3000/4000/5000K**

Dimming: Down to 5%


Lifespan: 50,000 Hours



This high bay lets you customize both wattage and CCT in the field. An integrated sensor port supports Lightcloud Blue Controllers* with either a PIR or MVS sensor and daylight sensing. Listed for use in dry or damp locations, the high bay lamp carries RAB's unbeatable 5-year, no-compromise warranty.

Garage Light

This plug-and-play lamp has adjustable fins that can be angled from 0° to 90° as needed and can be independently fixed at different angles, for a maximum of 360° coverage. An integrated sensor port supports Lightcloud Blue Controllers* with either a PIR or MVS sensor and daylight sensing. It can be used in dry or damp locations, and carries RAB's 3-year, no-compromise warranty.



HID-65-V-E26-850-BYP-GL/LCBB

Replaces: 200W MH

Wattage: 65W

Voltage: 120-277V

Base: E26 Edison

CCT: 5000K

Dimming: Down to 5%

Lifespan: 25,000 Hours



*A Lightcloud Blue Controller is required in order to connect to the Lightcloud Blue system.

**Tunable white from 3000 to 5000K only when used with a Lightcloud Blue 5-pin, plug-in Controller.

©2023 RAB Lighting, Inc.

RAB is continually improving our products. Specifications may change without notice.

The designs of RAB fixtures are protected under U.S. and international intellectual property laws.

RAB