

# RAB®



## Lights that see you coming. Motion-activated downlights that maximize energy savings.

### Save more with SENSE-ible lighting.

Looking to maximize energy savings? You already know that LED lighting slashes your power bills, but add a motion sensor to those lights and you'll only use electricity when someone's actually in the room. These downlights all include an integrated passive infrared sensor with three motion modes to choose from. No more lights left on in empty hallways, storage areas, or bathrooms—these lights automatically switch on when you're near and turn off when you're not.

#### Motion Modes

					Light stays ON for X minutes based on Hold Time selected	
					Light stays ON for X minutes based on Hold Time selected	

#### Hold Times

	30 Seconds		5 Minutes		10 Minutes
--	------------	--	-----------	--	------------



FEATURE PAGE



FIELD ADJ.



90 CRI



50,000 HRS



DAMP RATED

CAN BE USED TO COMPLY WITH  
TITLE  
PART 6  
JA8  
24  
HIGH EFFICIENCY LED LIGHT  
SOURCE REQUIREMENTS

CERTIFIED

RAB's warranty is  
subject to all terms  
and conditions found at  
[rablighting.com/warranty](http://rablighting.com/warranty)

## SUMO Surface Mount

These super-low-profile downlights add a modern look to any space and are available in 5, 7, and 9" models. SUMOs are designed for 120V use, boast 90+ CRI, and include five selectable CCTs (2700/3000/3500/4000/5000K). They're a stylish option for either new construction or retrofitting into existing junction boxes or recessed housings.



## DISK Surface Mount

Available in 4" and 6" models, these DISKs are designed for 120V use, boast 90+ CRI, and include five selectable CCTs (2700/3000/3500/4000/5000K). They were designed to be a flexible lighting solution for both retrofit and new construction applications, installing into recessed cans if you've got 'em, or standard junction boxes if you don't!



## WFR Edge-Lit Wafer

The low-profile WFR offers the integrated sensor in 4" and 6" models with a smooth trim. Designed for 120-277V use, they're versatile enough for both residential and commercial applications, and their wet listing makes them suitable for outdoor use. WFR boasts 90+ CRI and includes five selectable CCTs (2700/3000/3500/4000/5000K).

## Ordering Matrices

Product Family	Size/Wattage	Shape	CRI/Color Temp	Driver	Finish	Trim	Controls
SUMO							/PIR
5	5.5", 10W	Blank	Round	Blank	90CRI, 2700/3000/3500/4000/5000K	Blank	120V
7	7", 14W				CCT Adjustable	Blank	Blank
9	9", 18W					White	Smooth
							/PIR
							Passive Infrared Occupancy Sensor + Photocell

Product Family	Size/Wattage	Shape	CRI/Color Temp	Driver	Finish	Trim	Controls
DISK							/PIR
4	4", 8W	Blank	Round	Blank	90CRI, 2700/3000/3500/4000/5000K	Blank	120V
6	6", 12W				CCT Adjustable	Blank	Blank
						White	Smooth
							/PIR
							Passive Infrared Occupancy Sensor + Photocell

Product Family	Size/Wattage	Shape	CRI/Color Temp	Driver	Finish	Trim	Controls
WFR							/PIR
4	4", 9W	Blank	Round	Blank	90CRI, 2700/3000/3500/4000/5000K	Blank	120-277V
6	6", 13W				CCT Adjustable	Blank	Blank
						White	Smooth
							/PIR
							Passive Infrared Occupancy Sensor + Photocell