

# RAB

## T8

# One T8 to rule them all!

CCT-Adjustable hybrid T8 lamps now with shatter-resistant coating!

## 1 SKU with 10 options.

RAB's CCT-adjustable hybrid A/B tubes take all of the guesswork out of projects. Easily select your color temperature and choose your installation type in the field. These tubes can be used as plug-and-play (Type A) or as direct wire (Type B) and can be wired either single or double-ended.



### Hybrid

Can be used on existing ballasts or wire directly to line voltage



### SNGL + DBL Ended

When bypassing the ballast, lamp can be wired using Single or Double ended method



### Damp

Rated for use in damp locations



### Fluorescent Replacement

Replace conventional fluorescent T8 linear tubes



### Compatibility

Work with the most commonly used ballasts in commercial lighting applications



### Glass

Will maintain the same light quality over time and won't yellow, shrink, or wrinkle



### Save Energy and Money

Approximately 40% more efficient than conventional T8 lamps



### Mercury Free

Environmentally friendly vs fluorescent technologies



### Highly Efficient

Lasts 1.6x longer than conventional fluorescent tubes



### Dimmable

Dimmable when paired with compatible dimming ballast and 0-10V dimmer



T8 FEATURE PAGE



\*Please visit [rablighting.com](http://rablighting.com) to see which models have DLC or DLC Premium listing.




5-YEAR LIMITED WARRANTY\*

RAB's Warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty)

# Maximized flexibility.

Field-adjustable CCT offers five color temperatures to choose from, giving you the flexibility and control you need in the field, both during and after installation.



## Ordering Matrix

Product Family	Wattage		Length		Material		CRI/Color Temp		Voltage		Installation Type		Lens Finish	
T8							8CCT				HYB			
	7.5	7.5W (2 ft)	24	2 ft	G	Glass	8CCT	80 CRI; 3000/3500/	Blank	120-277V	HYB	Hybrid	Blank	Frosted
	10.5	10.5W (4 ft)	36	3 ft	GC	Glass		4000/5000/6500K					C	Clear*
	11	11W (3 ft)	48	4 ft		Coated		CCT Adjustable						
	12	12W (4 ft)												
	15	15W (4 ft)												

\*Only available for 15W Glass model