

Goof Ring Compatibility Guide



Works With:
 Commercial Downlights (Performance)
 Commercial Downlights CCT Selectable
 Commercial Downlights Field Adjustable
 - 2 Lumen & 3CCT Models



6"
12W / 18W
80CRI 90CRI



6"
11W 18W 22W
4 CCT Selectable



6"
Field Adjustable
2 Lumen / 3 CCT

Polycarbonate Goof Ring with White finish

DIMENSIONS	CATALOG NUMBER	DESCRIPTION	DOWNLIGHT SIZE	COMPATIBLE PRODUCTS
	DL6-8GOOF/R/P	For use with 8" ceiling hole applications Maximum Ceiling Cutout 8 1/8"	6"	C6R12830UNVW
				C6R12835UNVW
				C6R12840UNVW
				C6R12850UNVW
				C6R18830UNVW
				C6R18835UNVW
				C6R18840UNVW
				C6R18850UNVW
				C6R12930UNVW
				C6R12935UNVW
				C6R12940UNVW
				C6R18930UNVW
				C6R18935UNVW
				C6R18940UNVW
				C6R9/129FAUNVW
				C6R14/189FAUNVW
				C6R119FAUNVW
C6R189FAUNVW				
C6R229FAUNVW				

Goof Ring Compatibility Guide



8"
24W / 33W
80CRI 90CRI

Polycarbonate Goof Ring with White finish				
DIMENSIONS	CATALOG NUMBER	DESCRIPTION	DOWNLIGHT SIZE	COMPATIBLE PRODUCTS
	DL8-10GOOF/R/P	For use with 10" ceiling hole applications Maximum Ceiling Cutout 10 1/8"w	8"	C8R24830UNVW
				C8R24835UNVW
				C8R24840UNVW
				C8R24850UNVW
				C8R33830UNVW
				C8R33835UNVW
				C8R33840UNVW
				C8R33850UNVW
				C8R24930UNVW
				C8R24935UNVW
				C8R24940UNVW
				C8R33930UNVW
				C8R33935UNVW
				C8R33940UNVW
				C8R82830UNVW
				C8R82835UNVW
				C8R82840UNVW
				C8R82850UNVW
				C8R229FAUNVW
				C8R339FAUNVW
C8R559FAUNVW				

Goof Ring Compatibility Guide



Polycarbonate Goof Ring with White finish				
DIMENSIONS	CATALOG NUMBER	DESCRIPTION	DOWNLIGHT SIZE	COMPATIBLE PRODUCTS
	DL8-12GOOF/R/P	For use with 12" ceiling hole applications Maximum Ceiling Cutout 12 3/8"	8"	C8R24830UNVW
				C8R24835UNVW
				C8R24840UNVW
				C8R24850UNVW
				C8R33830UNVW
				C8R33835UNVW
				C8R33840UNVW
				C8R33850UNVW
				C8R24930UNVW
				C8R24935UNVW
				C8R24940UNVW
				C8R33930UNVW
				C8R33935UNVW
				C8R33940UNVW
				C8R82830UNVW
				C8R82835UNVW
				C8R82840UNVW
				C8R82850UNVW
C8R229FAUNVW				
C8R339FAUNVW				
C8R559FAUNVW				

Works With:
Commercial Downlights Field Adjustable
- 3 Lumen / 3 CCT Models



6"



8"



9.5"

Metal Goof Rings with powder coated white finish			
CATALOG NUMBER	DESCRIPTION	DOWNLIGHT SIZE	COMPATIBLE PRODUCTS
DL8-10GOOF/R/M	For extending from 8-1/4" to 10-1/2" Maximum Ceiling Cutout 8 15/16"	6"	C6R7/10/189FAUNVW
DL10-12GOOF/R/M	for extending from 10-1/4" to 12-1/2" Maximum Ceiling Cutout 10 15/16"	8"	C8R10/15/229FAUNVW
DL12-14GOOF/R/M	For extending from 11-1/2" to 14-3/16" Maximum Ceiling Cutout 12 3/8"	9.5"	C9.5R20/25/329FAUNVW