



Soft, even light with adjustable color temperature and output.

Under cabinet lighting that maximizes flexibility.




RAB[®]

KNOOK® LED Undercabinet

- Field-adjustable light output & color temperature
- Designed to provide soft, uniform lighting on work surfaces
- Simple to connect multiple fixtures
- Occupancy sensor accessory controls on/off, and includes a switch to manually turn off fixtures
- TRIAC and ELV dimming down to 5%*



RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty



Available in four lengths: 8", 16", 24" or 32", and in brown or white.



KNOOK provides clean, uniform illumination across the length of the fixture, on walls and over countertops.



Each KNOOK fixture can be daisy chained with optional accessory jumper cables.



KNOOK leads in energy efficiency, beating out the competition with higher lumens per foot.


*List of compatible dimmers provided in the instructions.

Accessories

Occupancy Sensor

(8 1/8" x 3 3/4")


OCSKNOOKFA - Brown OCSKNOOKFAW - White



Junction Box

(6 5/16" x 3 3/4")

JBKNOOKFA - Brown JBKNOOKFAW - White



Fixture-to-Fixture Jumper Cable

KJC6B - 6" Black KJC24B - 24" Black
 KJC6W - 6" White KJC24W - 24" White
 KJC12B - 12" Black KJC72B - 72" Black
 KJC12W - 12" White KJC72W - 72" White




Fixture-to-Junction Box Cable

KPCJB - 72" Black KPCJW - 72" White



Fixture-to-Outlet Cord and Plug

KCPB - 72" Black KCPW - 72" White



Dimmer Compatibility

LUTRON

Diva DV-603P DVELV-300PH-WH
 RRD-8ANS-WH SPSELV-400M
 RRD-6NA-WH TGCL-153P
 RRD-6D-WH LECL-153P
 P&S D703P SCL-153P
 Skylark CTCL-153P S-600
 Skylark S-600P MAELV-600-WH
 Skylark SELV-300P PD-6WCL-WH

LEVITON

Decora IPL06-10Z
 Decora 6631-P
 Decora 6674-P
 35A00-1
 6627-L
 6674-L

COOPER

TAL06P-C1
 DAL06P-C1
 SAL06P-W
 AAL06-C1

Ordering information

Product Family

Size

Color Temperature

Finish

Voltage

KNOOKFA

8
16
24
32

8" (4W/2W)
16" (9W/5W)
24" (13W/7W)
32" (16W/8W)

Blank 2700K/3000K/3500K/4000K/5000K Selectable

Blank
W

Brown
White

Blank

120V