
# Keypad Scene Selector





# Wireless Keypad, no load required









120-277V





PROJECT:

DATE:

TYPE:

#### PREPARED BY:









## **KEY FEATURES**

- · Compatible with other Lightcloud Blue lights and devices
- In-wall device with 4-button scene selector for on/off and dimming
- · Customizable scenes for on/off, dimming, and color tuning
- · Control up to 3 Areas with each button
- · Neutral wire connection required

# LIGHTCLOUD BLUE

## LIGHTCLOUD BLUE FEATURES

## **Lightcloud Blue**

Lightcloud Blue is a Bluetooth Mesh wireless lighting control system that allows you to control RAB's various compatible devices. With RAB's patented Rapid Provisioning technology, devices can be quickly and easily commissioned for residential and large commercial applications using the Lightcloud Blue mobile app. Each device in a system can communicate with any other device, eliminating the need for a Gateway or Hub and maximizing the control system's reach.

DLC system - N1XMLOEATBA (Interior); NHCZ2BIA17L (Exterior) Learn more at www.rablighting.com

## **Gateway Required**

No

## **Communication Protocol**


Bluetooth Mesh

## Range

Indoor: Up to 60 feet between standard building materials. Building materials such as brick, concrete, and steel construction may require additional Lightcloud Blue devices to extend around an obstruction; Up to 200 feet clear line of sight.

#### **Spacing Criteria**

Lightcloud Blue devices should be placed within the specified range to communicate within the Bluetooth Mesh network.



# Keypad Scene Selector



## **CUSTOMIZABLE BUTTON FUNCTIONS**

The Keypad can be assigned to control up to three (3) Areas. The default button behaviors will be as follows:

#### UP:


Gradually increase brightness **ON:** 

Turn on associated Area(s) **OFF:** 

Turn off associated Area(s) **DOWN:** 

Gradually decrease brightness

The buttons can be customized from the device settings screen in the Lightcloud Blue mobile app. When customizing these buttons, users have the option to choose from various actions that each button can perform.



SET	TOGGLE	DIM	SCENE
Specify settings for on/off, dim level, and color.	Selected lights will toggle on or off based on their current state.	Choose to adjust lights UP or DOWN for the assigned Area(s).	Enable an existing Scene profile for preselected lights.
Action  Set Toggle Day Scene  On/Off  Dim Level 40%  Color #ABC123 >	Action  Set Toggle Din Score  The selected lights will toggle on or off depending on their current state.  Done	Action  Set Toggle Dan Scene  Up Down  Done	Action  Set Toggle Dim Score  Choose Scene >  Done

## **TECHNICAL SPECIFICATIONS**

### **CONSTRUCTION**

#### **Product Type**

4-button scene selector

## Shape

Rectangle

## **Key Type**

4-button, interchangeable

## **Enclosure Material**

Plastic

#### Finish

Matte white

## **INSTALLATION**

#### Mounting

Requires a U.S. wallbox with 2 inch depth (recommended) and a minimum depth of 1.46 inches

## **Application Type**

Single-pole or Multi-point control

## Neutral Wire Required

Yes

## **ELECTRICAL**

## Dimmable

Wireless

### **Load Switching Capacity**

No load. This device can only be used to control other Lightcloud Blue lights and devices.

#### **Power Cut Off Switch**

Push in to connect to line voltage.

Pull out to disconnect to line voltage.

## Input Voltage

120-277V

## **Operating Frequency**

60 Hz

## Operating Temperature

32 °F to 104 °F (0 °C to 40 °C)

### **COMPLIANCE**

## Listings

UL 60730

## **Environment**

Suitable for use indoors in dry and damp environments

#### DLC NLC Listed

This system is on the Design Lights Consortium (DLC) Network Lighting Controls (NLC) Qualified Products List and is eligible for rebates from DLC Member Utilities.

DLC system - N1XMLOEATBA (Interior); NHCZ2BIA17L (Exterior)

### California Title 20 Compliant

No

### California Title 24 JA8 Compliant

No

## California Energy Commission (CEC) Status

Lawful for Sales in California

#### RoHS

Mercury and UV free. RoHS-compliant components.

#### FCC

Complies with Part 15 of the FCC Rules

## **OTHER**

## Warranty


The RAB 3-year, limited warranty covers light output, driver performance and paint finish.


RAB's warranty is subject to all terms and conditions found at rablighting. com/warranty.




## **DIMENSIONS**

KEYPAD/LCB Weight: .33 lbs







## ORDERING INFO

Catalog Number	Model Number	UPC	Case Pack
KEYPAD/LCB	KEYPAD/LCB	192552051392	24

## **ORDERING MATRIX**

