

RAB®

WFRL




Now available in bronze!

WFRL—the edge-lit wafer for every need.



More options at your fingertips.

Designed for maximum flexibility, the WFRL family lets you change color temperature with the flick of a switch! Available in 3", 4", 5", 6" and 8" models, they're ideal for new construction and remodel applications.



Thoughtful design.

- A Edge-lit technology minimizes fixture depth
- B Spring-loaded retention clips
- C Frosted, diffusion lens for smooth output
- D Smooth or baffle trim
- E Gasketed to be airtight
- F IC-rated for direct contact with insulation
- G Remote driver eliminates need for a can
- H CCT select switches integrated in driver box
- I FT5 Plenum-rated cable (per UL2043)




Traditional or contemporary.

Wafers are available in white, black, or bronze trims, giving you the flexibility to choose between the seamless, understated look that blends well with standard ceiling colors, or the modern, dramatic look often used in contemporary or industrial-style spaces.

Economy that performs.

All wafers are dimmable—with most common TRIAC/ELV (120V) and 0-10V (120-277V) dimmers*. All models are Title 24 compliant. 90 CRI provides accurate color rendering, making them ideal for commercial applications where color is critical.

**See Dimmer Compatibility List included in the family spec sheet.*



Lightcloud®



Anywhere you want it.

Rated for use in dry, damp, and wet locations, the WFRL is perfect for any application you throw at it, whether indoor or outdoor.


Make it smart.

The Lightcloud Blue XDIM family of dimmers makes it easy to install with any TRIAC/ELV or 0-10V dimmable fixture. Quickly pair to your phone to enjoy wireless control — no hub required. Add the Nano to use voice commands and control your lights from anywhere.

Accessories.



[Color Trims](#)



[Goof Rings](#)



[Mounting Plates](#)



[Universal Driver](#)



[Emergency Driver](#)

Ordering Matrices

3" ROUND

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim
WFRL	3	R	6	9CCT	120	W	
	3 3"	R Round	6 6W	9CCT 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White	B Baffle S Smooth

4" ROUND

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim	Trim Depth
WFRL	4	R		9FA	120			
	4 4"	R Round	9 9W 10.5 10.5W	9FA 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White B* Black BRZ* Bronze	B Baffle S Smooth	Blank Standard S** Shallow

*Only available in 9W

**Only available in 9W w/smooth trim

4" SQUARE

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim
WFRL	4	S	9	9FA	120		
	4 4"	S Square	9 9W	9FA 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White B Black	B Baffle S Smooth

5" ROUND

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim
WFRL	5	R	12	9CCT	120	W	
	5 5"	R Round	12 12W	9CCT 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White	B Baffle S Smooth

6" ROUND

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim	Trim Depth
WFRL	6	R		9FA	120			
	6 6"	R Round	13 13W 14 14W	9FA 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White B* Black BRZ* Bronze	B Baffle S Smooth	Blank Standard S** Shallow

*Only available in 13W

**Only available in 13W w/smooth trim

6" SQUARE

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim
WFRL	6	S	13	9FA	120		
	6 6"	S Square	13 13W	9FA 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White B Black	B Baffle S Smooth

8" ROUND

Family	Size	Shape	Wattage	CRI/Color Temp	Driver	Finish	Trim
WFRL	8	R	23	9FA		W	
	8 8"	R Round	23 23W	9FA 90CRI; 2700/3000/3500/4000/5000K	120 120V, TRIAC/ELV	W White	B Baffle S Smooth



FEATURE PAGE



RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty