

80CRI Non-Dimmable A-Lamps



6W A19
E26 Base

9W / 12W A19
E26 Base

16W / 16.5W A21
E26 Base

80CRI Non-Dimmable A-Line Bulbs 40-100W 120V & 125W 120-277V



80 CRI



NON-DIMMABLE



ENCLOSED
FIXTURE RATED



DAMP
RATED



FCC
LISTED



RoHS

PROJECT:

DATE:

TYPE:

PREPARED BY:



LISTED
**16.5W A19 is
UL Recognized



KEY FEATURES

- **Energy-efficient** replacement for **incandescent** and **halogen** lamps
- Constructed from **durable plastic** which lowers risk of breakage
- Rated for use in **enclosed and open** fixtures in **dry or damp** locations
- **Frosted lens** produces smooth diffuse light
- **Longer lifespan** compared to legacy equivalents minimizes replacement and maintenance costs
- **ENERGY STAR® Compliant**
- **Non-dimmable**
- **3-Year, No-Compromise Warranty**

PERFORMANCE

Catalog Number	Equivalency	Input Wattage	Lumen	Efficacy lm/W	Base Type	Color Temperature	CRI	Input Voltage	L70 Lifespan	Energy Star ID
A19-6-E26-827-ND	40W Incandescent	6W	480	80	E26	2700K	80	120V	15,000	2330067
A19-6-E26-830-ND		6W	480	80		3000K	80	120V		2330068
A19-6-E26-840-ND		6W	480	80		4000K	80	120V		2347722
A19-9-E26-827-ND	60W Incandescent	9W	800	84		2700K	80	120V		2330079
A19-9-E26-830-ND		9W	800	84		3000K	80	120V		2330080
A19-9-E26-840-ND		9W	800	84		4000K	80	120V		2348188
A19-9-E26-850-ND		9W	800	84		5000K	80	120V		2330081
A19-12-E26-827-ND	75W Incandescent	12W	1100	92		2700K	80	120V	15,000	2344896
A19-12-E26-830-ND		12W	1100	92		3000K	80	120V		2344895
A19-12-E26-840-ND		12W	1100	92		4000K	80	120V		2344894
A19-12-E26-850-ND		12W	1100	92		5000K	80	120V		2344893
A21-16-E26-827-ND	100W Incandescent	16W	1600	100		2700K	80	120V		2344897
A21-16-E26-830-ND		16W	1600	100		3000K	80	120V		2344898
A21-16-E26-840-ND		16W	1600	100		4000K	80	120V		2344899
A21-16-E26-850-ND		16W	1600	100		5000K	80	120V		2344900
A21-16.5-E26-827-ND	125W Incandescent	16.5W	2100	127		2700K	80	120-277V	25,000	2366323
A21-16.5-E26-830-ND		16.5W	2200	133		3000K	80	120-277V		2366324
A21-16.5-E26-840-ND		16.5W	2250	136		4000K	80	120-277V		2366325
A21-16.5-E26-850-ND		16.5W	2350	139		5000K	80	120-277V		2366326

80CRI Non-Dimmable A-Lamps



TECHNICAL SPECIFICATIONS

CONSTRUCTION

Product Type

A-Line

Bulb Shape

A21

Enclosure Material

Plastic

Housing Finish

White

Lens Finish

Frosted

Base Type

E26

Beam Angle

230°

COMPLIANCE

Safety Listing

UL Listed, (16.5W A19 is UL Recognized)

ENERGY STAR® Compliant

Yes

Environment/Fixture Rating

Damp / Enclosed | Damp/Open

FCC

Complies with Part 15 of the FCC Rules.

RoHS

Mercury and UV free. RoHS-compliant components.

ELECTRICAL

Power Factor

>0.9

Input Voltage

120V

Operating Frequency

60Hz

Operating Temperature

-20°C to 45°C

Note

All values are typical (tolerance +/- 10%)

OTHER

Warranty


RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish.

RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.


DIMENSIONS

6W A19


Weight: 0.08 lb

**9W / 12W A19**

Weight: 0.13 lb

**16W / 16.5W A21**

Weight: 0.25 lb



80CRI Non-Dimmable A-Lamps



ORDERING INFO

Catalog Number	Model Number (DLC/Energy Star)	UPC	Case Pack
A19-6-E26-827-ND	A19-6-E26-827-ND	019813748429	12
A19-6-E26-830-ND	A19-6-E26-830-ND	019813748436	12
A19-6-E26-840-ND	A10001	019813834245	12
A19-9-E26-827-ND	A19-9-E26-827-ND	019813748443	12
A19-9-E26-830-ND	A19-9-E26-830-ND	019813748450	12
A19-9-E26-840-ND	A10002	019813834252	12
A19-9-E26-850-ND	A19-9-E26-850-ND	019813748467	12
A19-12-E26-827-ND	A10003	019813834269	12
A19-12-E26-830-ND	A10004	019813834276	12
A19-12-E26-840-ND	A10005	019813834283	12
A19-12-E26-850-ND	A10006	019813834290	12
A21-16-E26-827-ND	A10007	019813834306	12
A21-16-E26-830-ND	A10008	019813834313	12
A21-16-E26-840-ND	A10009	019813834320	12
A21-16-E26-850-ND	A10010	019813834337	12
A21-16.5-E26-827-ND	A10044(A21-16.5-E26-827-ND)	192552000079	12
A21-16.5-E26-830-ND	A10056(A21-16.5-E26-830-ND)	192552000086	12
A21-16.5-E26-840-ND	A10057(A21-16.5-E26-840-ND)	192552000093	12
A21-16.5-E26-850-ND	A10058(A21-16.5-E26-850-ND)	192552000109	12

ORDERING MATRIX

Family	Wattage		Base Type		CRI/Color Temp		Dimming	
A19	-		-	E26	-		-	ND
	6	6W / 40W EQ	E26	E26 Base	827	80 CRI, 2700K	ND	Non-dimmable
	9	9W / 60W EQ			830	80 CRI, 3000K		
	12	12W / 75W EQ			840	80 CRI, 4000K		
					850*	80 CRI, 5000K		
					* not for A19-6W			

Family	Wattage		Base Type		CRI/Color Temp		Dimming	
A21	-		-	E26	-		-	ND
	16	16W / 100W EQ	E26	E26 Base	827	80 CRI, 2700K	ND	Non-dimmable
	16.5	16.5W / 125W EQ			830	80 CRI, 3000K		
					840	80 CRI, 4000K		
					850	80 CRI, 5000K		