




Smart Lamps

that benefit your health,
that promote better sleep,
that mimic natural sunlight.

Get smart.

Looking for an easy way to get into smart lighting? This is it! A small investment of both money and time, with a simple, wireless remote-commissioned Lightcloud Gateway. It's plug and play at its best.



Control in the palm of your hand.

All RAB smart lamps are easily managed with our Lightcloud mobile app. Schedule lights, dim them, or create your own scenes...in groups, or by the individual lamp!



POWERED BY
LIGHTCLOUD



ON/OFF
SWITCHING



DIMMING



CREATE GROUPS
OR ZONES



SET
SCHEDULES



SET
SCENES



CHANGE COLOR
TEMPERATURE



CONTROL WITH
MOBILE APP




ENERGY
MONITORING




Easy and Secure.

Our Lightcloud system is controlled over a private connection, eliminating security risks and allowing you to manage smart lamps from anywhere—no Ethernet or WiFi connection is required.



Circadian, simplified.

A19/BR30 lamps also include SmartShift™ technology— tunable white light that automatically adjusts the color and intensity of indoor lights throughout the day, syncing your body with the natural cycles of daylight. Cool, energizing light at the start of an active day shifts to a soft, warm hue in the evening that helps you relax.



Monitor your energy savings.

The Lightcloud app also lets you monitor energy usage, so that you can actually see how much energy (and money) you are saving by using your smart lamps.

Natural Spectrum Technology

Low blue LED's deliver a spectrum of light similar to that of Natural Sunlight. They beautifully render colors with greater than 95+ CRI and an R9 value greater than 90. In addition these LED's don't suppress melatonin creation, which aids in promoting better sleep wake cycles.



DEMAND
RESPONSE



FAULT
NOTIFICATION



POWER-ON
BEHAVIOR



CLOUD
UPDATES



REMOTE
MANAGEMENT

Ordering matrix

Product	Wattage	Base	CRI/CCT	Options
A19	10	E26	9SS	/LC
	10 10W	E26 Medium Base	9SS 95 CRI SmartShift 2700-6500K	/LC Lightcloud Controller

Product	Wattage	Base	CRI/CCT	Options
BR30	10	E26	9SS	/LC
	10 10W	E26 Medium Base	9SS 95 CRI SmartShift 2700-6500K	/LC Lightcloud Controller